Arsenical Preparations in the TREATMENT OF SYPHILIS

TRADE NOVOSTAB BRAND

Neoarsphenamine B.P.

Novostab possesses high therapeutic activity combined with low toxicity. It may be administered either in aqueous solution or dissolved in Thiostab (sterile sodium thiosulphate solution).

Approved by the Ministry of Health for use in Public Institutions.

TRADE STABILARSAN BRAND

Arsphenamine Diglucoside

A stable compound of arsphenamine and glucose supplied in solution ready for use.

Approved by the Ministry of Health for use in Public Institutions.

TRADE SULPHOSTAB BRAND

Sulpharsphenamine B.P.

The Arsphenamine compound recommended for deep subcutaneous or intramuscular injection. Particularly suitable for Congenital Syphilis.

Approved by the Ministry of Health for use in Public Institutions.

Obtainable through branches of



Literature sert on request:

BOOTS PURE DRUG CO. LTD NOTTINGHAM

DIAGNOSTIC AGENTS

F O R

VENEREAL DISEASES

Rapid and reliable diagnostic methods are essential for the successful control of venereal disease. A dependable test for gonococcal infection is particularly necessary for use with modern chemotherapeutic methods of treatment. The antigens listed below embody the quality traditionally associated with 'Wellcome' Brand Serological Products.

Kahn precipitation test for syphilis— Gonorrhæa complement-fixation test—

WELLCOME 'BRAND

'WELLCOME'

KAHN ANTIGEN

GONOCOCCUS ANTIGEN

Bottles of 10 c.c., 10/3

Bottles of 5 c.c., 42/-Bottles of 10 c.c., 80/-

London prices, subject to Medical discount

Prepared at THE WELLCOME PHYSIOLOGICAL RESEARCH LABORATORIES



Supplied by

BURROUGHS WELLCOME & CO

(The Wellcome Foundation Ltd)

LONDON

Associated Houses: NEW YORK MONTREAL SYDNEY CAPE TOWN BOMBAY SHANGHAI BUENOS AIRES

TRYPARSAMIDE in NEUROSYPHILIS

Tryparsamide—May & Baker, is of value in the treatment of neurosyphilis because of its ability to penetrate the central nervous system through the meninges, and its presence in the C.S.F. in a spirochaeticidally active form.

The product is remarkably non-toxic and non-cumulative and it has been authoritatively stated that optic atrophy is less likely to occur in cases treated with Tryparsamide than in untreated

cases of neurosyphilis.

● Tryparsamide is available in:—

Ampoules of 1 gramme 2/3d. , , 2 ,, 3/od.

" " 3 " 3/9d. Containers of 50 grammes 35/3d.

■ Also available in boxes of ten ampoules of I Gm., 2 Gm., or 3 Gm., at reduced prices.

Less professional discount, plus purchase tax.

* 'BIPOULE' double ampoules are also supplied at an extra cost of ... 6d, each.

★TRADE MARK

Our Medical Department will be glad to supply you with further information.

5047

AN EFFICIENT INTRAMUSCULAR ARSENICAL

Trade Mark Acetylarsan Brand

DIETHYLAMINE ACETARSOL

Acetylarsan, for the treatment of syphilis in all stages, offers several advantages when the intramuscular or subcutaneous route is used.

It is a ready prepared solution of a pentavalent arsenical for intramuscular or deep subcutaneous injection and by these routes is much better tolerated locally than are the trivalent arsenicals.

Its administration in appropriate dosage has been reported to lead to the disappearance of spirochaetes from the chancre in six to twenty-four hours, the healing of the primary lesion within twelve days, and of mucous patches of the tongue and lips within ten days.

SUPPLIES:

SOLUTION FOR ADULTS

(each c.c. contains 0.05 gm. of active substance)
Boxes of 10 x 3 c.c. ampoules
Single ampoules of 5 c.c.

SOLUTION FOR CHILDREN

(each c.c. contains 0.02 gm. of active substance) Boxes of 10×2 c.c. ampoules

OUR MEDICAL DEPARTMENT WILL BE GLAD TO SUPPLY YOU WITH FURTHER INFORMATION

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LIMITED, DAGENHAM

5023

THE SUBCUTANEOUS ARSPHENAMINE



Tested in accordance with the Therapeutic Substances Acts, 1925, and approved for use under the V.D. Regulations, 1916.

Specific in—SYPHILIS in all its stages and GONORRHŒAL COMPLICATIONS

EXTREME FACILITY OF INJECTION EITHER BY THE DEEP SUBCUTANEOUS OR INTRAMUSCULAR ROUTES

Manufactured by the SULFARSENOL LABORATORIES, LTD., ALPERTON, MIDDLESEX

Brochures giving particulars of treatment and a résumé of reports on request from

MODERN PHARMACALS LTD., 12 GUILFORD STREET. LONDON, W.C.1

Telephone: Holborn 3202.

Telegrams: "Pharmacals, Holb., London."

BRITISH JOURNAL OF UROLOGY

Edited by H. P. WINSBURY-WHITE, F.R.C.S.

Assistant Editor: ALEX E. ROCHE, F.R.C.S.

Vol. XIV

SEPTEMBER, 1942

No. 3

CONTENTS

EDITORIAL NOTICES.

ORIGINAL ARTICLES-

Post-Prostatectomy Obstruction. By Terence Millin, M.Ch., F.R.C.S. Primary Carcinoma of the Ureter: Case Report. By Henry N. Daniel, Hon. Surgeon. Lancaster Infirmary.

NOTES ON INTERESTING CASE-

Multiple Vesical Calculi—An Unusual Case. By T. L. Chapman, F.R.C.S. (Eng.).

ABSTRACTS FROM CURRENT LITERATURE.

For these extensive abstracts alone, which are taken from the Medical Literature of the whole World, this Journal is of the greatest value to all who are interested in Urology.

INDEX TO CURRENT UROLOGICAL LITERATURE.

The BRITISH JOURNAL of UROLOGY is published quarterly at 7s. 6d. (March, June, September and December), but Annual Subscriptions are accepted at the reduced rate of 25s. post free. U.S.A. and Canada, \$6.10.

Applications and orders should be addressed to the Publishers-

CONSTABLE & CO. LTD., 10 & 12 Orange Street, London, W.C.2